

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

DATE MAILED: 03/22/2004

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/040,917	01/09/2002	Mark Khesin	59589.000040	3781
21967	7590 03/22/2004		EXAM	INER
	& WILLIAMS LLP	OLSEN, KAJ K		
INTELLECTUAL PROPERTY DEPARTMENT			L L D M L D L M L	
1900 K STREET, N.W.			ART UNIT	PAPER NUMBER
SUITE 1200			1753	
WASHINGT	ON, DC 20006-1109		2,25	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/040,917	KHESIN ET AL			
Office Action Summary	Examiner	Art Unit			
	Kaj Olsen	1753			
The MAILING DATE of this communication a					
Period for Reply A SHORTENED STATUTORY PERIOD FOR REF THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory perio - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the mai earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 09 2a) This action is FINAL.	J. 1.136(a). In no event, however, may a r 1.136(a). In no event, however, may a r eply within the statutory minimum of thin id will apply and will expire SIX (6) MON ute, cause the application to become AE ling date of this communication, even if	ty (30) days will be considered timely. THS from the mailing date of this communication.			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) Claim(s) 1-37 is/are pending in the applicatio 4a) Of the above claim(s) 32-37 is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-31 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/ Application Papers 9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examination of the Including the correct 11.	ewn from consideration. For election requirement. For election requirement. For election requirement. For election required to be a drawing(s) be held in abeyand the drawing(s).	ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documen 2. Certified copies of the priority documen 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Ap prity documents have been r uu (PCT Rule 17.2(a)).	pplication No received in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 1-9-2002.	4) Interview Su Paper No(s)/ 5) Notice of Info 6) Other:	Mail Date ormal Patent Application (PTO-152)			

Art Unit: 1753

DETAILED ACTION

Election/Restrictions

1. Claims 32-37 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim.

Election was made without traverse in Paper dated 2-9-2004.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 1-31 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 4. In claim 1, the preamble states "[i]n a system for monitoring gas concentrations..., a gas sensor comprising", which renders it unclear if applicant is claiming an entire unspecified monitoring system or just the gas sensor for that system (i.e. the monitoring system is the intended use). Claim 31 by contrast makes it clear the invention is drawn to a monitoring system. Because the applicant refers to claim 1 in the dependent claims only as "[t]he gas sensor of claim 1", the examiner will interpret claim 1 as being drawn to the gas sensor itself, but clarification is requested.
- 5. Claim 1 specifies an "at least one opening" but never specifies what possesses the opening.

Art Unit: 1753

6. Claim 31 is indefinite because it claims a second sampling probe "of the same type as the first sampling probe". It is unclear what structure is being explicitly recited by the language "same type".

Claim Rejections - 35 USC § 102

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 8. Claims 1-10, 15-18, 20-27, 29 and 30 are rejected under 35 U.S.C. 102(b) as being anticipated by Reber (USP 4,944,861).
- 9. Reber discloses a gas sensor comprising an outer shell 41 disposed in a stream of gas having at least one opening 44 in fluid communication with the gas to be monitored. See fig. 3 and col. 5, lines 29-43. Reber further discloses a solid electrolyte cell 11 disposed within the outer shell with a seal that forms a sensing chamber (i.e. reference gas chamber) isolated from the gas to be monitored. See fig. 1 and col. 2, line 48 through col. 3, line 20. Reber further discloses first and second electrodes disposed within the reference gas chamber and the in the outer shell respectively (see claim 1). The second electrode would be in close proximity to the opening giving the claim language its broadest reasonable interpretation.
- 10. With respect to Reber being utilized for a monitoring of flue gases in a combustor, that is only the intended use of the apparatus and the intended use need not be given further due consideration in determining patentability (see 112 rejection above). With respect to the

Page 4

Application/Control Number: 10/040,917

Art Unit: 1753

generation of voltages across the electrodes, that is also only the intended use of the apparatus and the intended use need not be given further due consideration in determining patentability. However, see col. 2, lines 33-37.

- 11. With respect to the reference gas conduit, see col. 3, lines 8-20.
- 12. With respect to the conduit in the outer shell, see fig. 3 and col. 5, lines 34-43.
- 13. With respect to the delivery of calibration gas or the extraction of sample flue gas, that is only the intended use of the apparatus and the intended use need not be given further due consideration in determining patentability.
- 14. With respect to the seals, the tip of 11 constitutes one seal while the sealing structure set forth in fig. 1 and col. 2, line 48 through col. 3, line 20 constitutes another seal.
- 15. With respect to the thermocouple, see col. 3, lines 5-11.
- With respect to the various claims about how the signals from the sensor are processed, that is only the intended use of the apparatus and the intended use need not be given further due consideration in determining patentability.
- 17. With respect to the type of unclaimed combustor utilized, that is only the intended use of the apparatus and the intended use need not be given further due consideration in determining patentability (see 112 rejection above).
- 18. With respect to the use of stabilized zirconia, see col. 3, lines 33-45.

Claim Rejections - 35 USC § 103

19. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 1753

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 20. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 21. Claims 10, 13, 14, 19, and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Reber in view of Yokota et al (USP 6,254,749 B1).
- With respect to claims 10, 13, 14 and 31, Reber set forth all the limitations of the claims, but did not explicitly recite the set forth third electrode cooperating with the first and second electrodes. Yokota teaches in an alternate gas sensor that two gases can be monitored simultaneously by providing two different electrodes on the outside of the solid electrolyte element so that oxygen and carbon monoxide can be simultaneously measured. See fig. 4 and col. 9, line 56 through col. 10, line 11. It would have been obvious to one of ordinary skill in the art at the time the invention was being made to utilize the teaching of Yokota for the sensor of Reber such that other gas components can be simultaneously monitored thereby increasing the utility of the sensor to other gas constituents. With respect to claim 31, it appears to the examiner that the specified "second sampling probe" is meant to read on the same configuration

Art Unit: 1753

of an additional electrode that is specified for claim 11 (see 112 rejection above). With respect to the combustion monitoring system of claim 31, see Yokota, col. 1, lines 40-55.

- 23. With respect to claim 19, Reger discloses all the limitations of the claim, but did not explicitly specify the use of porous electrodes. However, it is notoriously well known that gas sensor electrodes should be porous so as to increase the effective surface area of the electrode. In particular, this is demonstrated by Yokota, which teaches that the electrodes should preferably be porous. See col. 7, lines 63 and 64. It would have been obvious to one of ordinary skill in the art at the time the invention was being made to utilize the teaching of Yokota for the gas sensor of Reber so as to increase the overall surface area of the electrode.
- Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Reber in view of Yokota as applied to claim 11 above, and further in view of Takahashi et al (USP 5,705,129).
- 25. The references set forth all the limitations of the claim, but did not explicitly recite the use of a filter to react with a second gas (i.e. an interferent) to eliminate its effect on a measurement of the intended gas. Takahashi teaches in an alternate sensor that a catalytic filter 6 can be utilized to react with an interferent prior to the exposure of the measurement gas to the electrode (see abstract). It would have been obvious to one of ordinary skill in the art at the time the invention was being made to utilize the teaching of Takahashi for the sensor of Reber and Yokota in order to remove the influence of interferents from the sensor response.
- 26. Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Reber in view of Maeda et al (USP 4,430,192).
- 27. Claims 1-31 are rejected in the alternative under 35 U.S.C. 103(a) as being unpatentable over Reber with or without the teachings of Yokota and Takahashi in further view of Maeda.

Art Unit: 1753

- 28. With respect to claim 28, Reber set forth a number of structural elements that would read on the defined "support conduit" giving the claim language its broadest reasonable interpretation. See fig. 1 as an example. However, Reber did not explicitly teach affixing that conduit to a wall. Maeda teaches in an alternate gas sensor that the conduit supporting the gas sensor can be fastened to the wall of the device being monitored. See fig. 1-3 and 5; and col. 1, lines 15-33. It would have been obvious to one of ordinary skill in the art at the time the invention was being made to utilize the teaching of Maeda for the sensor of Reber because the walls of a gas conduit is a convenient location to mount a gas sensor to.
- 29. With respect to all the claims in the alternative, Reber (with or without the teachings of Yokota or Takahashi) set forth all the limitations of the claims when one disregards the limitations drawn to the use of the gas sensor for monitoring the flue gas of a combustor. However, even if the examiner were to give weight to the limitations drawn to the combustor, the use of oxygen gas sensors, like that of Reber, for the monitoring gases in furnaces are well known in the art and . This is demonstrated by the teaching of Maeda where an analogous gas sensor is being utilized to monitor the output of a combustion furnace (col. 1, lines 15-33; and col. 6, lines 30-46. It would have been obvious to one of ordinary skill in the art at the time the invention was being made to utilize the sensor of Reber (with or without the teachings of Yokota or Takahashi) for a combustor as taught by Maeda in order to extend the utility of a sensor with an excellent hermetic seal that can withstand repeated temperature cycling (Reber, col. 1, lines 26-64) to other applications requiring such advantages. With respect to placing the sensor in the post-flame zone, it would have been obvious to do so both to avoid exposing the gas sensor to a

Art Unit: 1753

direct flame and to ensure that one is monitoring the gas after complete combustion (i.e. the gas in the flame itself would be an intermediate combustion state).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kaj Olsen whose telephone number is (571) 272-1344. The examiner can normally be reached on Monday through Thursday from 6:30 A.M. to 4:00 P.M. and on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen, can be reached on 571-272-1342. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kaj Olsen Ph.D. Primary Examiner

AU 1753

March 15, 2004